
Portable electric testing pump

N7/1 FH-E model

Reliable and flexible pump featuring high performances



Advantages

Since the pump N7/1 FH-E is electrically driven, you can easily and gradually reach the required testing pressure.

Easily adaptable to different testing needs, this flexible pump does not need any compressed air for its functioning.

MAIN COMPONENTS

- > 1. Electric driven pump
- > 2. Control manometer
- > 3. Testing flexible hose
- > 4. Start / stop control switch
- > 5. Manifold testing hose
- > 6. Trolley made of stainless steel

APPLICATIONS

N7/1 FH-E model allows achieving the hydraulic testing of reservoirs, powder fire extinguishers and fire-fighting hoses.

The pump is easily transportable as it is installed on a trolley equipped with a special three-wheeled structure. The unit is particularly suitable for on-site interventions thanks to its small size, reduced weight and easy transport.



N7/1 FH-E model



STANDARD ACCESSORIES

- Testing flexible hose, 2 mt length
- Use and maintenance manual

ACCESSORIES ON DEMAND

- Rotating vice, SWINGER model (A)





AVAILABLE MODELS AND TECHNICAL FEATURES

MODEL	N7/1 FH-E
Service pressure	10 ÷ 50 bar
Service temperature	5 ÷ 40 °C
Noise	< 80 db (at 50 cm)
Dimensions	570x600x1200 (h)
Weight	~ 50 Kg
Power supply	230V 50 Hz