

## Units for Painting the Outer Surface of cylinders and reservoirs

### RC P series - VMB version

EA SY , SA FE A N D FA ST PA IN TI NG SY ST E M



#### APPLICATIONS

The RCP-VMB units are suitable for manually painting the external surface of cylinders or fire extinguishers previously cleaned by the RCP 270 unit or similar.

With the front door open, the cylinder rotates vertically on its axis, allowing the operator to manually paint the cylinder with a roller or a brush, using ecological paint.

#### COMPONENTS AND DEVICES

- > Cabin frame made of painted steel
- > Aluminium external cover sheets
- > Wide-opening door
- > Internal light
- > Vertically adjustable cylinder clamp device
- > Rotating motorized cylinder holder
- > Main electrical panel with 24V. controls

#### SPECIAL VERSIONS

- > Models for non-standard cylinders can be supplied subject to approval from our technical department
- > Models for different voltages and frequencies are available on request.

#### ADVANTAGES

With the "RCP-VMB" unit, the painting procedure takes place inside a booth complete of a front door which can be closed at the end of the operations, keeping the workplace clean and orderly. Inside the RCP-VMB, the cylinders can be painted completely or partially. This is convenient mainly when only the cylinder necks need to be painted due to a test procedure or a change in the gas distinctive color.



# Units for Painting the Outer Surface of cylinders and reservoirs



## ACCESSORIES ON REQUEST

DESCRIPTION	MODEL	CODE
Adapter for cylinders of small size and portable extinguishers		MZP2010



## TECHNICAL SPECIFICATIONS

MODEL	RCP270-VMB
CATALOGUE N°	MZP2002
CYLINDER PLACES	1
MINIMUM ACCEPTED CYLINDER DIAMETER (mm)	70
MAXIMUM ACCEPTED CYLINDER DIAMETER (mm)	270
MAXIMUM ACCEPTED CYLINDER HEIGHT (mm)	1800
SPEED OF ROTATION OF THE CYLINDER (rpm)	45
POWER SUPPLY, VOLTAGE/FREQUENCY (VAC/Hz)	400/50
TOTAL POWER (kW)	0,5
DIMENSIONS (WxLxH) (mm)	1100x700x2700
WEIGHT (Kg)	350

*Models for different cylinders sizes, power supply or frequencies etc. are available on request*

## RCP/FILT SPECIFICATION

### COMPONENTS AND DEVICES

- > Electric aspirator with open blade fan
- > Wheeled framework made in galvanized steel
- > High surface filtering cartridge
- > Recovery bag
- > Connection flexible hose to RCP-VMB cabin

### TECHNICAL SPECIFICATIONS

MODEL	RCP/FILT
CATALOGUE N°	MZPE001
INSTALLED POWER (kW)	1,5
MOTOR REVOLUTION (rpm)	2800
MAXIMUM SUCTION CAPACITY (m <sup>3</sup> /h)	2500
CARTRIDGE FILTERING SURFACE (m <sup>2</sup> )	12,5
ON REQUEST, BUILT AIR CONVEYOR, MODEL RCP/CA	CODE AZPE001
DIMENSIONS (WITHOUT RCP/CA CONVEYOR) (WxLxH)	1200x520x2900
DIMENSIONS (WITH RCP/CA CONVEYOR) (WxLxH)	1200x520x3500

For further information:

VANZETTI EQUIPMENT S.r.l.  
via Avv. Giovanni Agnelli 10  
12033 MORETTA (CN) ITALY  
Tel. (+39) 0172 915811  
Fax (+39) 0172 915822  
[info@vanzettiequipment.com](mailto:info@vanzettiequipment.com)

[www.vanzettiequipment.com](http://www.vanzettiequipment.com)

Easy, safe, modular