

equipment for extinguishers & cylinders

# EQUIPMENT AND TECHNOLOGY FOR CYLINDER / EXTINGUISHER FILLING, MAINTENANCE AND TESTING



www.damotek.com www.pwent.eu JULY 2019



# ABOUT US



> DAMOTEK is one of the major manufacturers of equipment dedicated to fire extinguisher and cylinder service, testing and filling.

#### > 35 years of experience

Established in 1982, the company has been working with most relevant *gas, fire & safety* organizations and multinational groups

#### > WORLDWIDE PRESENCE / Export > 60%

The company markets his products in nearly every country throughout the world, mainly in Europe, Northern Africa, Middle & Far East, U.S.A.

#### > DAMOTEK owns a comprehensive range of safe and efficient units for the following applications:



> CLEAN AGENT FILLING AND RECOVERY

- > INERT GAS FILLING
- > DCP EXTINGUISHER SERVICE AND TESTING
- > CO<sub>2</sub> CYLINDER FILLING
- > CYLINDER MAINTENANCE AND TESTING
- > CYLINDER TREATMENT AND POST FILLING
- > REFRIGERANT GAS FILLING AND RECOVERY

## OUR PRESENCE WORLDWIDE







# DRY POWDER FILLING







TOTEM GALAXY

## DRY POWDER FILLING



#### MEDIUM / HIGH PRODUCTIVITY SEMI-AUTOMATIC FILLING STATION

## TOTEM MATIC



# DRY POWDER FILLING



TOTEM AUTO BAG

#### HIGH PRODUCTIVITY AUTOMATIC FILLING STATION



#### DRY POWDER EXTINGUISHER SERVICE



AUTOMATIC PORTABLE WORKSHOP FOR POWDER EXTINGUISHER SERVICE

# TOTEM MATIC CAR







#### MOBILE WORKSHOP FOR EXTINGUISHER SERVICE





## SKID AC/FG8



# DRY POWDER RECOVERY





#### DRY POWDER EXTINGUISHER SERVICE



#### ACCESSORIES





# CYLINDER TO CYLINDER CO<sub>2</sub> TRANSFER



103/D1 Pump for liquid CO2 transfer



99/D1 Pump for cylinder to cylinder liquid CO2 transfer



## CYLINDER TO CYLINDER CO<sub>2</sub> TRANSFER





99D3 SODA For recharging CO2 cartridges and cylinders used to gasify water, beverages, beer



151MIX CO2 + N2 filling of cylinders inflating the life-rafts





#### CO2 TRANSFER FROM CRYOGENIC TANK TO CYLINDER



COMPACT CO2 PUMPING AND FILLING SYSTEM FROM TANK




#### CO2 FILLING STATION FROM CRYOGENIC TANK TO CYLINDERS / EXTINGUISHERS





#### CO2 PUMPING FROM CRYOGENIC TANK TO CYLINDER



# FCD/103 SNOW

### AUTOMATIC CO2 PUMPING STATION FROM CRYOGENIC TANK



- CRYOSNOW
- AEROSOL SPRAY
- PLASTIC EXTRUSION / FOAMING
- SUPERCRITIC CO2

## EXTINGUISHER AND PORTABLE CYLINDER MAINTENANCE AND SERVICE











N7/4 + HT MANIFOLD Pump + testing manifold





HYDROSTATIC TEST OF CYLINDERS BY EXPANSION TEST

## WATER JACKET







#### HYDROSTATIC TEST OF CYLINDERS BY PROOF TEST

### FIT series









equipment for extinguishers & cylinders





# FIT-6-EVO

#### HYDROSTATIC TEST OF CYLINDERS BY PROOF TEST

#### **AUTOMATED OPERATIONS:**

- CYLINDER FILLING
- HIGH PRESSURE TESTING
- CYLINDER EMPTYING
- CYLINDER DRYING











#### AUTOMATED TESTING BENCH

# FIT-6-EVO









### FIT-6-EVO



## FIT-6-EVO + DRY-VAP

#### INTEGRATED ADVANCED SUPERHEATED DRYING SYSTEM













#### HYDRAULIC TEST QUICK CONNECTIONS





ELECTRIC HIGH PRESSURE PUMP FOR HYDRAULIC TESTING



HIGH FLOW! Test at 450 bar q.ty 6 x 50L cylinders in less than 1'

# LOW PRESSURE HYDRAULIC TESTING BENCH



FIT50 LOW

## SUITABLE TO TEST:

- LPG CYLINDERS
- **REFRIGERANT GAS CYLINDERS**







## ELECTRIC VALVING / DEVALVING UNIT





#### HEAVY FRONT PROTECTION ELPA-HY





#### ELECTRIC VALVING / DEVALVING UNIT Optional electronic torque display and controls

#### Electronic torque display ELCC



Load cell



Torque display automatic stop

#### Electronic torque control ELCC TORQUE



Magneto-resistive inline torque sensor 500 Nm



PLC inverter color touch-screen display









## UNIT FOR CYLINDER EXTERNAL CLEANING










### CYLINDER INTERNAL CLEANING



AUTOMATED UNIT FOR CYLINDER INTERNAL CLEANING

# Suitable for portable and SCUBA cylinders

# ICS80-A-180






# CYLINDER INTERNAL CLEANING

AUTOMATED UNIT FOR CYLINDER INTERNAL CLEANING

Suitable for all kind of cylinders Up to 185 cm h / 27 Ø







HAND TRUCK FOR DISPLACING BIG SIZED CYLINDERS

Suitable to load / unload cylinders to ICS 1850

# ICS1850 CLD





# CYLINDER INTERNAL CLEANING

# MANUAL UNIT FOR CYLINDER

Suitable for portable and SCUBA cylinders

## ICS80-M









#### CYLINDER MARKING SYSTEM

#### PMS-V80P-B





#### **CYLINDER PAINTING**





#### **CYLINDER EXTERNAL PAINTING**

## RCP270 - VMB6

#### QUICK DRYING SYSTEM FOR PAINT

HEAT INDUCTION PANELS

#### VMB340-DP



#### CYLINDER EXTERNAL PAINTING




RCP270 – VMB

#### CYLINDER MAINTENANCE AND TESTING



STANDARD LAYOUT OF A CYLINDER TESTING AND MAINTENANCE STATION




EQUIPMENT LIST


Pos. | Description **Devalving Equipment** Internal Inspection Internat Inspection Weight control scale

- Weight control scale Cleaning & paintinb equipment Filter for Celaning & painting equipment Painting equipment Hydraulic testing station Water tank for quick cylinder filling Hydraulic test pump Divideo equipment

- Drying equipment Drying equipment
- Valving equipment
- internal sandblasting unit
- Recovery pump for int.sandblasting unit

## **COMPLETE CLEAN AGENT FILLING / RECOVERY STATION**





## CLEAN AGENT FILLING STATION





## CLEAN AGENT FILLING STATION







#### PNEUMATICALLY DRIVEN

## THB 5

#### SUITABLE FOR HIGH PRESSURE SYSTEM CYLINDERS (25 OR 42 OR 55 BAR OR MORE)

#### **RECOVERY EFFICIENCY MORE THAN 99%**














equipment for extinguishers & cylinders











## CLEAN AGENT FILLING UNIT





## 100/103 FM



#### **ELECTRICALLY DRIVEN**

INTEGRATED N2 PRESSURIZATION CIRCUIT OPTIONAL VACUUM SYSTEM


## **CLEAN AGENT FILLING UNIT**



LEGENDA / LEGEND / LEGENDE

Ø Fower supply

(i) Air / | 6 -4 bar ] [ with valves ].



## **MIXING INVERTER**





SUITABLE TO ACCELERATE THE DIFFUSION OF PRESSURIZATION NITROGEN INSIDE THE CYLINDER FILLED WITH CLEAN AGENT

Diameters from 140 mm to 610 mm Height up to 1800 mm



## MIXING INVERTER



Diameters from 240 mm to 770 mm Height up to 1800 mm

## GBMIX1 H5





SUGGESTED PROTECTION GRID FOR SAFELY ACHIEVE THE MIXING

#### ELECTRONIC SCALES / PNEUMATIC VICES



#### **BE Series**



#### SUITABLE TO CORRECTLY DOSE THE PRODUCT

#### **AIR Series**



CLEAN AGENT CYLINDER HANDLING

ELECTRICAL VALVING / DEVALVING UNIT

#### **ELECTRONIC TORQUE CONTROL**

## EL60



equipment for extinguishers & cylinders

## CLEAN AGENT CYLINDER HANDLING



#### PNEUMATIC VICE

#### SUITABLE TO MANUALLY CLAMP THE CYLINDERS DURING VALVING/DEVALVING OPERATIONS





## CLEAN AGENT CYLINDER HANDLING



#### HAND TRUCK

SUITABLE TO HANDLE AND MOVE THE BIG AND HEAVY CYLINDERS IN SAFETY ALL AROUND THE WORKSHOP







#### PNEUMATICALLY DRIVEN



THB / G1HP SUITABLE FOR SYSTEM CYLINDERS UP TO 25 BAR



THB / BP SUITABLE FOR SYSTEM CYLINDERS UP TO 16 BAR



#### NOVEC1230 PNEUMATICALLY DRIVEN TRANSFER UNIT

TANK TO TANK or TANK TO CYLINDERS / EXTINGUISHERS

#### THB52-1230

MAX SERVICE PRESSURE 6 BAR







SHN/5 CRYOGENIC SEPARATION



#### **TESTING OF CLEAN AGENT CYLINDERS**



HYDROSTATIC TEST OF CYLINDERS BY EXPANSION TEST


#### WATER JACKET






## WATER JACKET







## CYLINDER TESTING



#### HYDROSTATIC TEST OF CYLINDERS BY PROOF TEST

## FIT350-4S




## **CYLINDER TESTING**



#### HYDROSTATIC TEST OF CYLINDERS BY PROOF TEST






ALL THE POSSIBLE SOLUTIONS FROM THE SIMPLEST TO THE FULLY AUTOMATED SYSTEM

#### **INERT GAS FILLING STATION**





#### **INERT GAS FILLING STATION**



SUITABLE TO FILL THE CYLINDERS USED IN THE INERT GAS EXTINCTION SYSTEMS

## IG-FILL



#### 310 BAR FILLING PRESSURE FLOW-RATE 13 or 30 m3/h



#### **REFRIGERANT GAS FILLING AND RECOVERY**



#### CYLINDER FILLING STATION FROM TANK / ISO-CONTAINER

## RGT5 series













## **REFRIGERANT GAS FILLING AND RECOVERY**



#### TRANSFER FROM IBC TO CYLINDER

Pneumatically driven OIL FREE PUMP transferring LIQUID & GAS phase

#### RGT5 series







## CYLINDER HANDLING FOR SPECIAL GAS MIXTURE









## CYLINDER HANDLING FOR SPECIAL GAS MIXTURE



MIXING INVERTER FOR CYLINDERS CONTAINING GAS MIXTURES

#### **GBMIX5**





## **CUSTOMER SERVICE**



DAMOTEK technical staff provides the customers with a comprehensive after-sales technical support:

> installation and start-up assistance (including provision of manuals for proper use and maintenance)

> trouble-shooting procedure

> spare parts and accessories assistance (in order to choose the one fulfilling the customers' needs).





Periodically, at our corporate conference room, we arrange courses and seminars concerning the proper use and the correct maintenance of equipment and components.



# DAMOTEK

## equipment for extinguishers & cylinders

## Pwent Ltd.

Representative in, Austria, Croatia, Hungary, Romania, Serbia, Slovakia, Slovenia. Hungary, 6640 Csongrád Rév I street. 3-5 www.pwent.eu office@pwent.eu +36 (30) 225-9882

## www.damotek.com www.pwent.eu